


Third edition of the WHO dengue guidelines: translating research into policy and practice

The 2nd edition (1997)



The 3rd edition (2009)



A collaboration of the wider dengue group WHO/HQ & Regional Offices & more than 70 international dengue experts

Olaf Horstick, UNICEF/UNDP/World Bank/WHO,

Special Programme for Research and Training in Tropical Diseases (TDR), Geneva, Switzerland







The DenCo study



Clear distinction between dengue and severe dengue under the following criteria:

Severe dengue

Severe dengue is defined by either one of the following:


- 1. Severe plasma leakage
- Clinical shock
- Any evidence of fluid accumulation with respiratory distress
- 2. Severe bleeding as evaluated by clinician
- 3. Severe organ involvement
- Severe liver involvement with AST >= 1000 or ALT >= 1000
- Impaired consciousness with GCS < 15 or BCS < 5








DENCO clinical study: partners involved



★ Recruitment between August 2006 and May 2007

The revised WHO dengue case classification guides case management: an algorithm has been suggested









Usefulness and applicability of the revised dengue case classification by disease: multi-centre study in 18 countries

Judit Barniol, Roger Gaczkowski, Eliana Vega Barbato, Rivaldo V da Cunha, Doris Salgado, Eric Martínez, Carmita Soria Segarra, Ernesto B Pleites Sandoval, Ajay Mishra, Ida Safitri Laksono, Lucy CS Lum, José G Martínez, Andrea Núnez, Angel Balsameda, Ivan Allende, Gladys Ramírez, Efren Dimaano, Kay Thomacheck, Naeema A Akbar, Eng E Ooi, Elci Villegas, Tran T Hien, Jeremy Farrar, Olaf Horstick, Axel Kroeger and Thomas Jaenisch

BMC Infectious Diseases 2011, 11:106 doi:10.1186/1471-2334-11-106.